

公衆衛生学講座

○主な研究内容

- 1 地域社会におけるがん、循環器疾患、特定疾患などに関する疫学的研究
- 2 分子生物学的手法を取り入れた生活習慣病に関する予防医学的研究
- 3 高齢者に対する医療、保健、福祉の統合的推進に関する研究
- 4 ストレス関連疾患などの新しい職業性疾患に関する予防医学的研究
- 5 身体活動増加の介入による各種疾患の予防に関する研究
- 6 環境要因がエピジェネティクスに与える影響に関する研究

○Pub Med 掲載論文 (2018 年)

1. Association of Environmental Tobacco Smoke with the Risk of Severe Early Childhood Caries among 3-Year-Old Japanese Children.

Nakayama Y, Ohnishi H, Mori M.

Caries Res. 2018 Oct 2;53(3):268-274. doi: 10.1159/000492790. [Epub ahead of print]
PMID: 30278438

2. Reliability and Validity of Hip Extensor Strength Measurement in Sitting Position by a Handheld Dynamometer in the Older Adults.

Seko T, Mori M, Ohnishi H, Himuro N, Takahashi Y, Kumamoto T, Ito T.

J Geriatr Phys Ther. 2018 Aug 22. doi: 10.1519/JPT.000000000000207. [Epub ahead of print]
PMID: 30138249

3. Unexpected high plasma xanthine oxidoreductase activity in female subjects with low levels of uric acid.

Furuhashi M, Mori K, Tanaka M, Maeda T, Matsumoto M, Murase T, Nakamura T, Koyama M, Moniwa N, Ohnishi H, Saitoh S, Shimamoto K, Miura T.

Endocr J. 2018 Aug 2. doi: 10.1507/endocrj.EJ18-0127. [Epub ahead of print]
PMID: 30068899 Free Article

4. Plasma Xanthine Oxidoreductase Activity as a Novel Biomarker of Metabolic Disorders in a General Population.

Furuhashi M, Matsumoto M, Tanaka M, Moniwa N, Murase T, Nakamura T, Ohnishi H, Saitoh S, Shimamoto K, Miura T.

Circ J. 2018 Jun 25;82(7):1892-1899. doi: 10.1253/circj.CJ-18-0082. Epub 2018 Apr 10.
PMID: 29643318 Free Article

5. Nutritional Status and Energy Intake as Predictors of Functional Status After Cardiac Rehabilitation in Elderly Inpatients With Heart Failure – A Retrospective Cohort Study.

Katano S, Hashimoto A, Ohori K, Watanabe A, Honma R, Yanase R, Ishigo T, Fujito T, Ohnishi H, Tsuchihashi K, Ishiai S, Miura T.

Circ J. 2018 May 25;82(6):1584–1591. doi: 10.1253/circj.CJ-17-1202. Epub 2018 Apr 7. PMID: 29628459 Free Article

6. Circulating Fatty Acid-Binding Protein 4 Concentration Predicts the Progression of Carotid Atherosclerosis in a General Population Without Medication.

Furuhashi M, Yuda S, Muranaka A, Kawamukai M, Matsumoto M, Tanaka M, Moniwa N, Ohnishi H, Saitoh S, Shimamoto K, Miura T.

Circ J. 2018 Mar 23;82(4):1121–1129. doi: 10.1253/circj.CJ-17-1295. Epub 2018 Feb 15. PMID: 29445067 Free Article

7. Effects of Hemosiderosis on Epilepsy Following Subarachnoid Hemorrhage.

Hirano T, Enatsu R, Iihoshi S, Mikami T, Honma T, Ohnishi H, Mikuni N.

Neurol Med Chir (Tokyo). 2018 Dec 18. doi: 10.2176/nmc.oa.2018-0125. [Epub ahead of print]

PMID: 30568071 Free Article

8. Independent links between plasma xanthine oxidoreductase activity and levels of adipokines.

Furuhashi M, Matsumoto M, Murase T, Nakamura T, Higashiura Y, Koyama M, Tanaka M, Moniwa N, Ohnishi H, Saitoh S, Shimamoto K, Miura T.

J Diabetes Investig. 2018 Dec 5. doi: 10.1111/jdi.12982. [Epub ahead of print]

PMID: 30516339 Free Article

9. Quantitative Evaluation of Cephalometric Radiographs of Patients With Hemifacial Microsomia.

Tokura TA, Miyazaki A, Igarashi T, Dehari H, Kobayashi JI, Miki Y, Ogi K, Sonoda T, Yotsuyanagi T, Hiratsuka H.

Cleft Palate Craniofac J. 2018 Dec 11:1055665618813453. doi: 10.1177/1055665618813453. [Epub ahead of print]

PMID: 30537849

10. LpMab-23-recognizing cancer-type podoplanin is a novel predictor for a poor prognosis of early stage tongue cancer.

Miyazaki A, Nakai H, Sonoda T, Hirohashi Y, Kaneko MK, Kato Y, Sawa Y, Hiratsuka H. Oncotarget. 2018 Apr 20;9(30):21156–21165. doi: 10.18632/oncotarget.24986. eCollection 2018 Apr 20.

PMID: 29765527 Free PMC Article

11. Tumor budding is an independent prognostic marker in early stage oral squamous cell carcinoma: With special reference to the mode of invasion and worst pattern of invasion.

Shimizu S, Miyazaki A, Sonoda T, Koike K, Ogi K, Kobayashi JI, Kaneko T, Igarashi T, Ueda M, Dehari H, Miyakawa A, Hasegawa T, Hiratsuka H.

PLoS One. 2018 Apr 19;13(4):e0195451. doi: 10.1371/journal.pone.0195451. eCollection

2018.

PMID: 29672550 Free PMC Article

12. Linked color imaging enhances endoscopic detection of sessile serrated adenoma/polyps.

Fujimoto D, Muguruma N, Okamoto K, Fujino Y, Kagemoto K, Okada Y, Takaoka Y, Mitsui Y, Kitamura S, Kimura T, Miyamoto H, Bando Y, Sonoda T, Takayama T.

Endosc Int Open. 2018 Mar;6(3):E322–E334. doi: 10.1055/s-0043-124469. Epub 2018 Mar 7.

PMID: 29527554 Free PMC Article

13. Improvement in the rate of inadequate pharmaceutical treatment by orthopaedic surgeons for the prevention of a second fracture over the last 10 years.

Iba K, Dohke T, Takada J, Sasaki K, Sonoda T, Hanaka M, Miyano S, Yamashita T.

J Orthop Sci. 2018 Jan;23(1):127–131. doi: 10.1016/j.jos.2017.09.008. Epub 2017 Oct 2.

PMID: 28982605

14. Change in mobility function and its causes in adults with cerebral palsy by Gross Motor Function Classification System level: A cross-sectional questionnaire study.

Himuro N, Mishima R, Seshimo T, Morishima T, Kosaki K, Ibe S, Asagai Y, Minematsu K, Kurita K, Okayasu T, Shimura T, Hoshino K, Suzuki T, Yanagizono T.

NeuroRehabilitation. 2018;42(4):383–390. doi: 10.3233/NRE-172340.

PMID: 29660955

15. Activated forms of astrocytes with higher GLT-1 expression are associated with cognitive normal subjects with Alzheimer pathology in human brain.

Kobayashi E, Nakano M, Kubota K, Himuro N, Mizoguchi S, Chikenji T, Otani M, Mizue Y, Nagaishi K, Fujimiya M.

Sci Rep. 2018 Jan 26;8(1):1712. doi: 10.1038/s41598-018-19442-7.

PMID: 29374250 Free PMC Article

16. Screening of primary aldosteronism by clinical features and daily laboratory tests: combination of urine pH, sex, and serum K.

Yamashita T, Shimizu S, Koyama M, Ohno K, Mita T, Tobisawa T, Takada A, Togashi N, Ohnuma Y, Hasegawa T, Tsuchida A, Endo T, Ando T, Yoshida H, Fukuma S, Fukuhara S, Moniwa N, Miura T.

J Hypertens. 2018 Feb;36(2):326–334. doi: 10.1097/HJH.0000000000001511.

PMID: 28832364

17. Lifetime Risk of Stroke and Coronary Heart Disease Deaths According to Blood Pressure Level: EPOCH-JAPAN (Evidence for Cardiovascular Prevention From Observational Cohorts in Japan)

Satoh M, Ohkubo T, Asayama K, Murakami Y, Sugiyama D, Yamada M, Saitoh S, Sakata K, Irie F, Sairenchi T, Ishikawa S, Kiyama M, Ohnishi H, Miura K, Imai Y, Ueshima H, Okamura T; EPOCH-JAPAN Research Group.

Hypertension. 2019 Jan;73(1):52–59. doi: 10.1161/HYPERTENSIONAHA.118.11635. Epub 2018 Nov 19.
PMID: 30763510

18. No difference in initial fixation or 1-year outcomes with outside in metallic or bioabsorbable interference femoral screws in rectangular tunnel bone-patellar tendon-bone graft for anterior cruciate ligament reconstruction.

Shiwaku K, Tomoyuki Suzuki, Tomoyuki Suzuki, Takashi Matsumura, Takashi Matsumura, Ohnishi H, Otsubo H, Yamashita T.
JISAKOS September 2018. DOI:10.1136/jisakos-2018-000213

公衆衛生学講座

○主な研究内容

- 1 地域社会におけるがん、循環器疾患、特定疾患などに関する疫学的研究
- 2 分子生物学的手法を取り入れた生活習慣病に関する予防医学的研究
- 3 高齢者に対する医療、保健、福祉の統合的推進に関する研究
- 4 ストレス関連疾患などの新しい職業性疾患に関する予防医学的研究
- 5 身体活動増加の介入による各種疾患の予防に関する研究
- 6 環境要因がエピジェネティクスに与える影響に関する研究

○Pub Med 掲載論文 (2017 年)

1. The Serum Level of KL-6 Is Associated with the Risk of Insulin Resistance and New-onset Diabetes Mellitus: The Tanno-Sobetsu Study.

Akasaka H, Ohnishi H, Narita Y, Kameda M, Miki T, Takahashi H, Yamamoto W, Sohma H, Masumori N, Miura T; SPRUCE project investigators.
Intern Med. 2017 Nov 15;56(22):3009-3018. doi: 10.2169/internalmedicine.8716-16. Epub 2017 Sep 25.
PMID: 28943558

2. Impact of the Number of Anti-Thrombosis Agents in Hemodialysis Patients: BOREAS-HD2 Study.

Tanaka M, Moniwa N, Ohnishi H, Yamashita T, Koyama M, Gocho Y, Nishizawa K, Kimura Y, Sugawara H, Murakami S, Okazaki Y, Furuhashi M, Yoshida H, Miura T.
Kidney Blood Press Res. 2017;42(3):553-564. doi: 10.1159/000480487. Epub 2017 Sep 18.
PMID: 28922656

3. Prevalence of and risk factors for enlarged perivascular spaces in adult patients with moyamoya disease.

Kuribara T, Mikami T, Komatsu K, Suzuki H, Ohnishi H, Houkin K, Mikuni N.
BMC Neurol. 2017 Aug 4;17(1):149. doi: 10.1186/s12883-017-0935-x.
PMID: 28778183

4. Surfactant protein D inhibits activation of non-small cell lung cancer-associated mutant EGFR and affects clinical outcomes of patients.

Umeda Y, Hasegawa Y, Otsuka M, Ariki S, Takamiya R, Saito A, Uehara Y, Saijo H, Kuronuma K, Chiba H, Ohnishi H, Sakuma Y, Takahashi H, Kuroki Y, Takahashi M.
Oncogene. 2017 Jul 24. doi: 10.1038/onc.2017.253. [Epub ahead of print]
PMID: 28745320

5. Effect of sodium-glucose co-transporter-2 inhibitors on impaired ventricular repolarization in people with Type 2 diabetes.

Sato T, Miki T, Ohnishi H, Yamashita T, Takada A, Yano T, Tanno M, Tsuchida A, Miura T. *Diabet Med.* 2017 Oct;34(10):1367–1371. doi: 10.1111/dme.13424. Epub 2017 Aug 3. PMID: 28703863

6. Serum FABP5 concentration is a potential biomarker for residual risk of atherosclerosis in relation to cholesterol efflux from macrophages.

Furuhashi M, Ogura M, Matsumoto M, Yuda S, Muranaka A, Kawamukai M, Omori A, Tanaka M, Moniwa N, Ohnishi H, Saitoh S, Harada-Shiba M, Shimamoto K, Miura T. *Sci Rep.* 2017 Mar 16;7(1):217. doi: 10.1038/s41598-017-00177-w. PMID: 28303004

7. Pathophysiological consideration of medullary streaks on FLAIR imaging in pediatric moyamoya disease.

Suzuki H, Mikami T, Kuribara T, Yoshifuji K, Komatsu K, Akiyama Y, Ohnishi H, Houkin K, Mikuni N. *J Neurosurg Pediatr.* 2017 May;19(5):560–566. doi: 10.3171/2017.1.PEDS16541. Epub 2017 Mar 10. PMID: 28291429

8. Volatile Organic Compounds in Exhaled Breath of Idiopathic Pulmonary Fibrosis for Discrimination from Healthy Subjects.

Yamada YI, Yamada G, Otsuka M, Nishikiori H, Ikeda K, Umeda Y, Ohnishi H, Kuronuma K, Chiba H, Baumbach JI, Takahashi H. *Lung.* 2017 Apr;195(2):247–254. doi: 10.1007/s00408-017-9979-3. Epub 2017 Mar 1. PMID: 28247041

9. Factors affecting survival of patients in the acute phase of upper cervical spine injuries.

Morita T, Takebayashi T, Irifune H, Ohnishi H, Hirayama S, Yamashita T. *Arch Orthop Trauma Surg.* 2017 Apr;137(4):543–548. doi: 10.1007/s00402-017-2655-5. Epub 2017 Feb 22. PMID: 28229224

10. Role of dilatation and curettage performed for spontaneous or induced abortion in the etiology of endometrial thinning.

Azumaguchi A, Henmi H, Ohnishi H, Endo T, Saito T. *J Obstet Gynaecol Res.* 2017 Mar;43(3):523–529. doi: 10.1111/jog.13254. Epub 2017 Jan 26. PMID: 28127830

11. Distinct risk factors of atrial fibrillation in patients with and without coronary artery disease: a cross-sectional analysis of the BOREAS-CAG Registry data.

Murakami N, Tanno M, Kokubu N, Nishida J, Nagano N, Ohnishi H, Akasaka H, Miki T, Tsuchihashi K, Miura T. *Open Heart.* 2017 Jan 16;4(1):e000573. doi: 10.1136/openhrt-2016-000573. eCollection

2017.

PMID: 28123767

12. Co-expression of tissue factor and IL-6 in immature endothelial cells of cerebral cavernous malformations.

Noshiro S, Mikami T, Kataoka-Sasaki Y, Sasaki M, Ohnishi H, Ohtaki S, Wanibuchi M, Mikuni N, Kocsis JD, Honmou O.

J Clin Neurosci. 2017 Mar;37:83-90. doi: 10.1016/j.jocn.2016.12.023. Epub 2017 Jan 10.

PMID: 28087183

13. Interleukin-13 receptor alpha 2 as a marker of poorer prognosis in high-grade astrocytomas.

Wanibuchi M, Kataoka-Sasaki Y, Sasaki M, Oka S, Otsuka Y, Yamaguchi M, Ohnishi H, Ohtaki S, Noshiro S, Ookawa S, Mikami T, Mikuni N, Honmou O.

J Neurosurg Sci. 2017 Jan 12. doi: 10.23736/S0390-5616.16.03793-0. [Epub ahead of print]

PMID: 28079349

14. A Multicenter Retrospective Study of Mogamulizumab Efficacy in Adult T-Cell Leukemia/Lymphoma.

Iyama S, Sato T, Ohnishi H, Kanisawa Y, Ohta S, Kondo T, Mori A, Tsutsumi Y, Kuroda H, Kakinoki Y, Yamamoto S, Takahashi T, Shindo M, Torimoto Y, Sato K, Iwasaki H, Haseyama Y, Kohda K, Nagamachi Y, Hirayama Y, Sakai H, Hirata Y, Fukuhara T, Ikeda H, Kobune M, Kato J, Kurosawa M.

Clin Lymphoma Myeloma Leuk. 2017 Jan;17(1):23-30. e2. doi: 10.1016/j.clml.2016.09.009. Epub 2016 Sep 17.

PMID: 27727135

15. Pneumococcal vaccination reduces the risk of community-acquired pneumonia in children.

Hasegawa J, Mori M, Ohnishi H, Tsugawa T, Hori T, Yoto Y, Tsutsumi H.

Pediatr Int. 2017 Mar;59(3):316-320. doi: 10.1111/ped.13157. Epub 2016 Nov 21.

PMID: 27588365

16. Soleal vein dilatation assessed by ultrasonography is an independent predictor for deep vein thrombosis after major orthopedic surgery.

Abe K, Yuda S, Yasui K, Okubo A, Kobayashi C, Muranaka A, Ohnishi H, Hashimoto A, Teramoto A, Nagoya S, Tsuchihashi K, Yamashita T, Takahashi S, Miura T.

J Cardiol. 2017 May;69(5):756-762. doi: 10.1016/j.jjcc.2016.07.004. Epub 2016 Jul 30.

PMID: 27484506

17. Improvement in the rate of inadequate pharmaceutical treatment by orthopaedic surgeons for the prevention of a second fracture over the last 10 years.

Iba K, Dohke T, Takada J, Sasaki K, Sonoda T, Hanaka M, Miyano S, Yamashita T.

J Orthop Sci. 2017 Oct 2. pii: S0949-2658(17)30239-7. doi: 10.1016/j.jos.2017.09.008.

[Epub ahead of print]

PMID: 28982605

18. Mismatch Repair Protein Deficiency Is a Risk Factor for Aberrant Expression of HLA Class I Molecules: A Putative "Adaptive Immune Escape" Phenomenon.

Kubo T, Hirohashi Y, Matsuo K, Sonoda T, Sakamoto H, Furumura K, Tsukahara T, Kanaseki T, Nakatsugawa M, Hirano H, Furuhashi T, Takemasa I, Hasegawa T, Torigoe T. *Anticancer Res.* 2017 Mar;37(3):1289-1295.
PMID:28314294

19. Further significant effects of eldecalcitol on bone resorption markers and bone mineral density in postmenopausal osteoporosis patients having undergone long-term bisphosphonate treatment.

Iba K, Sonoda T, Takada J, Dohke T, Yamashita T. *J Bone Miner Metab.* 2017 Mar;35(2):171-176. doi: 10.1007/s00774-016-0738-y. Epub 2016 Jan 30.
PMID: 26832388

20. Relationship Between Mandibular Ramus Height and Masticatory Muscle Function in Patients With Unilateral Hemifacial Microsomia.

Suzuki N, Miyazaki A, Igarashi T, Dehari H, Kobayashi JI, Miki Y, Ogi K, Nagai I, Sonoda T, Yotsuyanagi T, Hiratsuka H. *Cleft Palate Craniofac J.* 2017 Jan;54(1):43-52. doi: 10.1597/14-329. Epub 2016 Jan 11.
PMID: 26752018

21. The criterion validity and intra-rater reliability of the Japanese version of the Functional Mobility Scale in children with cerebral palsy.

Himuro N, Nishibu H, Abe H, Mori M. *Res Dev Disabil.* 2017 Sep;68:20-26. doi: 10.1016/j.ridd.2017.07.004. Epub 2017 Jul 20.
PMID: 28735158

22. Family-centered care for preterm infants: Parent and physical therapist perceptions.

Miyagishima S, Himuro N, Kozuka N, Mori M, Tsutsumi H. *Pediatr Int.* 2017 Jun;59(6):698-703. doi: 10.1111/ped.13266. Epub 2017 May 15.
PMID: 28218813

23. Clinical utility of the 6-min walk test for patients with moderate Parkinson's disease.

Kobayashi E, Himuro N, Takahashi M. *Int J Rehabil Res.* 2017 Mar;40(1):66-70. doi: 10.1097/MRR.000000000000205.
PMID: 27977464

24. Easy-to-use clinical measures of walking ability in children and adolescents with cerebral palsy: a systematic review.

Himuro N, Abe H, Nishibu H, Seino T, Mori M.

Disabil Rehabil. 2017 May;39(10):957-968. doi: 10.1080/09638288.2016.1175036. Epub 2016
May 23.
PMID: 27216081

公衆衛生学講座

○主な研究内容

- 1 地域社会におけるがん、循環器疾患、特定疾患などに関する疫学的研究
- 2 分子生物学的手法を取り入れた生活習慣病に関する予防医学的研究
- 3 高齢者に対する医療、保健、福祉の統合的推進に関する研究
- 4 ストレス関連疾患などの新しい職業性疾患に関する予防医学的研究
- 5 身体活動増加の介入による各種疾患の予防に関する研究
- 6 環境要因がエピジェネティクスに与える影響に関する研究

○Pub Med 掲載論文 (2016 年)

1. Clinicopathological characteristics of thyroid cancer misdiagnosed by fine needle aspiration.

Maeda H, Kutomi G, Satomi F, Shima H, Mori M, Hirata K, Takemasa I.

Exp Ther Med. 2016 Oct;12(4):2766-2772.

PMID: 27698782 Free PMC Article

2. Safety and efficacy of an "enhanced recovery after surgery" protocol for patients undergoing colon cancer surgery: a multi-institutional controlled study.

Ota H, Ikenaga M, Hasegawa J, Murata K, Miyake Y, Mizushima T, Hata T, Takemasa I, Yamamoto H, Sekimoto M, Nezu R, Doki Y, Mori M.

Surg Today. 2016 Sep 29. [Epub ahead of print]

PMID: 27688031

3. Insulin-like growth factor-related components and the risk of liver cancer in a nested case-control study.

Adachi Y, Nojima M, Mori M, Matsunaga Y, Akutsu N, Sasaki S, Endo T, Kurozawa Y, Wakai K, Tamakoshi A; for JACC Study.

Tumour Biol. 2016 Sep 23. [Epub ahead of print]

PMID: 27662841

4. Impact of longitudinal status change in metabolic syndrome defined by two different criteria on new onset of type 2 diabetes in a general Japanese population: the Tanno-Sobetsu Study.

Ohnishi H, Saitoh S, Akasaka H, Furukawa T, Mori M, Miura T.

Diabetol Metab Syndr. 2016 Sep 5;8(1):64. doi: 10.1186/s13098-016-0182-0. eCollection 2016.

PMID: 27602060 Free PMC Article

5. Pneumococcal vaccination reduces the risk of community-acquired pneumonia in children.

Hasegawa J, Mori M, Ohnishi H, Tsugawa T, Hori T, Yoto Y, Tsutsumi H.

Pediatr Int. 2016 Sep 2. doi: 10.1111/ped.13157. [Epub ahead of print]

PMID: 27588365

6. The influence of personality and perceived stress on the development of breast cancer: 20-year

follow-up of 29,098 Japanese women.
Sawada T, Nishiyama T, Kikuchi N, Wang C, Lin Y, Mori M, Tanno K, Tamakoshi A, Kikuchi S.
Sci Rep. 2016 Sep 2;6:32559. doi: 10.1038/srep32559.
PMID: 27586560 Free PMC Article

7 . Validation of the Japanese disease severity classification and the GAP model in Japanese patients with idiopathic pulmonary fibrosis.

Kondoh S, Chiba H, Nishikiori H, Umeda Y, Kuronuma K, Otsuka M, Yamada G, Ohnishi H, Mori M, Kondoh Y, Taniguchi H, Homma S, Takahashi H.
Respir Investig. 2016 Sep;54(5):327-33. doi: 10.1016/j.resinv.2016.02.009. Epub 2016 Mar 30.
PMID: 27566380

8 . Changes of sexual function and perception in Japanese men: A 15-year cross-sectional community-based study.

Takayanagi A, Kobayashi K, Fukuta F, Matsuki M, Matsuda Y, Mori M, Masumori N.
Int J Urol. 2016 Aug 12. doi: 10.1111/iju.13184. [Epub ahead of print]
PMID: 27520708

9 . Risk Factors for Upper and Lower Urinary Tract Cancer Death in a Japanese Population: Findings from the Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC Study).

Washio M, Mori M, Mikami K, Miki T, Watanabe Y, Nakao M, Kubo T, Suzuki K, Ozasa K, Wakai K, Tamakoshi A.
Asian Pac J Cancer Prev. 2016;17(7):3545-9.
PMID: 27510007

1 0 . Associations between polymorphisms in folate-metabolizing genes and pancreatic cancer risk in Japanese subjects.

Nakao H, Wakai K, Ishii N, Kobayashi Y, Ito K, Yoneda M, Mori M, Nojima M, Kimura Y, Endo T, Matsuyama M, Ishii H, Ueno M, Kuruma S, Egawa N, Matsuo K, Hosono S, Ohkawa S, Nakamura K, Tamakoshi A, Takahashi M, Shimada K, Nishiyama T, Kikuchi S, Lin Y.
BMC Gastroenterol. 2016 Jul 29;16(1):83. doi: 10.1186/s12876-016-0503-7.
PMID: 27473058 Free PMC Article

1 1 . Analysis of resources assisting in coping with swallowing difficulties for patients with Parkinson's disease: a cross-sectional study.

Matsushima A, Matsushima J, Matsumoto A, Moriwaka F, Honma S, Itoh K, Yamada K, Shimohama S, Ohnishi H, Mori M.
BMC Health Serv Res. 2016 Jul 18;16:276. doi: 10.1186/s12913-016-1467-6.
PMID: 27431679

1 2 . Short-term outcomes of laparoscopic surgery for Crohn's disease patients treated with anti-tumor necrosis factor alpha agents.

Hata T, Mizushima T, Osawa H, Takahashi H, Haraguchi N, Nishimura J, Hata T, Takemasa I, Ikenaga M, Nakajima K, Yamamoto H, Murata K, Doki Y, Mori M.
Surg Today. 2016 Jul 2. [Epub ahead of print]
PMID: 27372080

1 3 . SOX2 and ALDH1 as Predictors of Operable Breast Cancer.

Shima H, Kutomi G, Satomi F, Maeda H, Hirohashi Y, Hasegawa T, Mori M, Torigoe T, Takemasa I.
Anticancer Res. 2016 Jun;36(6):2945-53.
PMID: 27272809

1 4 . Relationship of serum levels and dietary intake of isoflavone, and the novel bacterium *Slackia* sp. strain NATTS with the risk of prostate cancer: a case-control study among Japanese men.

Nagata Y, Sugiyama Y, Fukuta F, Takayanagi A, Masumori N, Tsukamoto T, Akasaka H, Ohnishi H, Saitoh S, Miura T, Moriyama K, Tsuji H, Akaza H, Mori M.
Int Urol Nephrol. 2016 Sep;48(9):1453-60. doi: 10.1007/s11255-016-1335-7. Epub 2016 Jun 4.
PMID: 27262851

1 5 . Easy-to-use clinical measures of walking ability in children and adolescents with cerebral palsy: a systematic review.

Himuro N, Abe H, Nishibu H, Seino T, Mori M.
Disabil Rehabil. 2016 May 23:1-12. [Epub ahead of print]
PMID: 27216081

1 6 . Association of beer consumption with arsenic concentration in urine: a result from a cross-sectional study of the general Japanese population.

Mori M, Sato T, Yoshida H, Ohira Y, Itou Y, Shimizu S.
Environ Health Prev Med. 2016 Apr 22. [Epub ahead of print]
PMID: 27106572

1 7 . Weight Gain and Alcohol Drinking Associations with Breast Cancer Risk in Japanese Postmenopausal Women - Results from the Japan Collaborative Cohort (JACC) Study.

Nitta J, Nojima M, Ohnishi H, Mori M, Wakai K, Suzuki S, Fujino Y, Lin Y, Tamakoshi K, Tamakoshi A. Asian Pac J Cancer Prev. 2016;17(3):1437-43.
PMID: 27039786 Free Article

1 8 . Maternal and placental risk factors for light-for-gestational-age births.

Aoyama K, Endo T, Saito T, Izumi H, Asakura S, Mori M.
J Obstet Gynaecol Res. 2016 Jul;42(7):831-6. doi: 10.1111/jog.12978. Epub 2016 Mar 23.
PMID: 27006103

1 9 . RNA helicase YTHDC2 promotes cancer metastasis via the enhancement of the efficiency by which HIF-1 α mRNA is translated.

Tanabe A, Tanikawa K, Tsunetomi M, Takai K, Ikeda H, Konno J, Torigoe T, Maeda H, Kutomi G, Okita K, Mori M, Sahara H.
Cancer Lett. 2016 Jun 28;376(1):34-42. doi: 10.1016/j.canlet.2016.02.022. Epub 2016 Mar 17.
PMID: 26996300

2 0 . Dietary patterns and breast cancer risk in a prospective Japanese study.

Kojima R, Okada E, Ukawa S, Mori M, Wakai K, Date C, Iso H, Tamakoshi A.
Breast Cancer. 2016 Mar 18. [Epub ahead of print]
PMID: 26993124

2 1 . Clinical Implications of C-Reactive Protein as a Prognostic Marker in Advanced Cancer Patients in Palliative Care Settings.

Amano K, Maeda I, Morita T, Miura T, Inoue S, Ikenaga M, Matsumoto Y, Baba M, Sekine R, Yamaguchi T, Hirohashi T, Tajima T, Tatara R, Watanabe H, Otani H, Takigawa C, Matsuda Y, Nagaoka H, Mori M, Kinoshita H.
J Pain Symptom Manage. 2016 May;51(5):860-7. doi: 10.1016/j.jpainsymman.2015.11.025. Epub 2016 Jan 28. PMID: 26826676

2 2 . A Cross-Sectional Study on Socioeconomic Systems Supporting Outpatients With Parkinson's Disease in Japan.

Matsushima A, Matsumoto A, Moriwaka F, Honma S, Itoh K, Yamada K, Shimohama S, Ohnishi H, Matsushima J, Mori M.

J Epidemiol. 2016;26(4):185-90. doi: 10.2188/jea.JE20150081. Epub 2015 Dec 5.

PMID: 26639753 Free PMC Article

2 3 . Effect of continuous deep sedation on survival in patients with advanced cancer (J-Proval): a propensity score-weighted analysis of a prospective cohort study.

Maeda I, Morita T, Yamaguchi T, Inoue S, Ikenaga M, Matsumoto Y, Sekine R, Yamaguchi T, Hirohashi T, Tajima T, Tatara R, Watanabe H, Otani H, Takigawa C, Matsuda Y, Nagaoka H, Mori M, Tei Y, Kikuchi A, Baba M, Kinoshita H.

Lancet Oncol. 2016 Jan;17(1):115-22. doi: 10.1016/S1470-2045(15)00401-5. Epub 2015 Nov 29.

PMID: 26610854

2 4 . Bone marrow-derived mesenchymal stem cells (JR-031) for steroid-refractory grade III or IV acute graft-versus-host disease: a phase II/III study.

Muroi K, Miyamura K, Okada M, Yamashita T, Murata M, Ishikawa T, Uike N, Hidaka M, Kobayashi R, Imamura M, Tanaka J, Ohashi K, Taniguchi S, Ikeda T, Eto T, Mori M, Yamaoka M, Ozawa K.

Int J Hematol. 2016 Feb;103(2):243-50. doi: 10.1007/s12185-015-1915-9. Epub 2015 Nov 25.

PMID: 26608364

2 5 . Randomized Placebo-Controlled and Controlled Non-Inferiority Phase III Trials Comparing Trafermin, a Recombinant Human Fibroblast Growth Factor 2, and Enamel Matrix Derivative in Periodontal Regeneration in Intrabony Defects.

Kitamura M, Akamatsu M, Kawanami M, Furuichi Y, Fujii T, Mori M, Kunimatsu K, Shimauchi H, Ogata Y, Yamamoto M, Nakagawa T, Sato S, Ito K, Ogasawara T, Izumi Y, Gomi K, Yamazaki K, Yoshie H, Fukuda M, Noguchi T, Takashiba S, Kurihara H, Nagata T, Hamachi T, Maeda K, Yokota M, Sakagami R, Hara Y, Noguchi K, Furuuchi T, Sasano T, Imai E, Ohmae M, Koizumi H, Watanuki M, Murakami S.

J Bone Miner Res. 2016 Apr;31(4):806-14. doi: 10.1002/jbmr.2738. Epub 2015 Dec 6.

PMID: 26547659

2 6 . BAK is a predictive and prognostic biomarker for the therapeutic effect of docetaxel treatment in patients with advanced gastric cancer.

Kubo T, Kawano Y, Himuro N, Sugita S, Sato Y, Ishikawa K, Takada K, Murase K, Miyanishi K, Sato T, Takimoto R, Kobune M, Nobuoka T, Hirata K, Takayama T, Mori M, Hasegawa T, Kato J.

Gastric Cancer. 2016 Jul;19(3):827-38. doi: 10.1007/s10120-015-0557-1. Epub 2015 Oct 20.

PMID: 26486506

2 7 . A Multicenter Retrospective Study of Mogamulizumab Efficacy in Adult T-Cell Leukemia/Lymphoma.

Iyama S, Sato T, Ohnishi H, Kanisawa Y, Ohta S, Kondo T, Mori A, Tsutsumi Y, Kuroda H, Kakinoki Y, Yamamoto S, Takahashi T, Shindo M, Torimoto Y, Sato K, Iwasaki H, Haseyama Y, Kohda K, Nagamachi Y, Hirayama Y, Sakai H, Hirata Y, Fukuhara T, Ikeda H, Kobune M, Kato J, Kurosawa M. Clin Lymphoma Myeloma Leuk. 2016 Sep 17. pii: S2152-2650(16)30565-1. doi:10.1016/j.clml.2016.09.009.PMID: 27727135

2 8 . Soleal vein dilatation assessed by ultrasonography is an independent predictor for deep vein thrombosis after major orthopedic surgery.

Abe K, Yuda S, Yasui K, Okubo A, Kobayashi C, Muranaka A, Ohnishi H, Hashimoto A, Teramoto A, Nagoya S, Tsuchihashi K, Yamashita T, Takahashi S, Miura T. J Cardiol. 2016 Jul 30. pii: S0914-5087(16)30151-4. doi: 10.1016/j.jjcc.2016.07.004. [Epub ahead of print]PMID: 27484506

2 9 . Dietary sodium-to-potassium ratio as a risk factor for stroke, cardiovascular disease and all-cause mortality in Japan: the NIPPON DATA80 cohort study.

Okayama A, Okuda N, Miura K, Okamura T, Hayakawa T, Akasaka H, Ohnishi H, Saitoh S, Arai Y, Kiyohara Y, Takashima N, Yoshita K, Fujiyoshi A, Zaid M, Ohkubo T, Ueshima H; NIPPON DATA80 Research Group. BMJ Open. 2016 Jul 13;6(7):e011632. doi: 10.1136/bmjopen-2016-011632. PMID: 27412107

3 0 . Relationship of serum levels and dietary intake of isoflavone, and the novel bacterium *Slackia* sp. strain NATTS with the risk of prostate cancer: a case-control study among Japanese men.

Nagata Y, Sugiyama Y, Fukuta F, Takayanagi A, Masumori N, Tsukamoto T, Akasaka H, Ohnishi H, Saitoh S, Miura T, Moriyama K, Tsuji H, Akaza H, Mori M. Int Urol Nephrol. 2016 Sep;48(9):1453-60. doi: 10.1007/s11255-016-1335-7. Epub 2016 Jun 4. PMID: 27262851

3 1 . Independent Link Between Levels of Proprotein Convertase Subtilisin/Kexin Type 9 and FABP4 in a General Population Without Medication.

Furuhashi M, Omori A, Matsumoto M, Kataoka Y, Tanaka M, Moniwa N, Ohnishi H, Yoshida H, Saitoh S, Shimamoto K, Miura T. Am J Cardiol. 2016 Jul 15;118(2):198-203. doi: 10.1016/j.amjcard.2016.04.037. Epub 2016 May 4. PMID: 27241838

3 2 . Double balloon protection during carotid artery stenting for vulnerable carotid stenosis reduces the incidence of new brain lesions.

Nakazaki M, Nonaka T, Takahashi A, Yonemasu Y, Nomura T, Onda T, Honda O, Hashimoto Y, Ohnishi H, Sasaki M, Daibo M, Honmou O. Acta Neurochir (Wien). 2016 Jul;158(7):1377-86. doi: 10.1007/s00701-016-2816-2. Epub 2016 May 2. PMID: 27138330

3 3 . Does a Reduction in the Glomerular Filtration Rate Increase the Overall Severity of Coronary Artery Stenosis?

Nishida J, Kokubu N, Kawamukai M, Hashimoto A, Ohnishi H, Kouzu H, Ohnuma Y, Hasegawa T, Tsuchida A, Miura T; BOREAS-CAD1 Investigators. Intern Med. 2016;55(8):871-7. doi: 10.2169/internalmedicine.55.5198. Epub 2016 Apr 15. PMID: 27086798 Free Article

3 4 . Pulmonary vascular resistance estimated by Doppler echocardiography predicts mortality in patients with interstitial lung disease.

Yasui K, Yuda S, Abe K, Muranaka A, Otsuka M, Ohnishi H, Hashimoto A, Takahashi H, Tsuchihashi K, Takahashi H, Takahashi S, Miura T.

J Cardiol. 2016 Oct;68(4):300-7. doi: 10.1016/j.jjcc.2016.02.025. Epub 2016 Mar 28.

PMID: 27032318

3 5 . Prevalence and clinical characteristics of degenerative mitral stenosis.

Ukita Y, Yuda S, Sugio H, Yonezawa A, Takayanagi Y, Masuda-Yamamoto H, Tanaka-Saito N, Ohnishi H, Miura T. J Cardiol. 2016 Sep;68(3):248-52. doi: 10.1016/j.jjcc.2015.09.021. Epub 2015 Nov 3.

PMID: 26546498

3 6 . Impact of use of angiotensin II receptor blocker on all-cause mortality in hemodialysis patients: prospective cohort study using a propensity-score analysis.

Tanaka M, Yamashita T, Koyama M, Moniwa N, Ohno K, Mitsumata K, Itoh T, Furuhashi M, Ohnishi H, Yoshida H, Tsuchihashi K, Miura T; BOREAS HD study Investigators.

Clin Exp Nephrol. 2016 Jun;20(3):469-78. doi: 10.1007/s10157-015-1182-3. Epub 2015 Oct 24.

PMID: 26500097

3 7 . Therapeutic temperature modulation in severe or moderate traumatic brain injury: a propensity score analysis of data from the Nationwide Japan Neurotrauma Data Bank.

Miyata K, Ohnishi H, Maekawa K, Mikami T, Akiyama Y, Iihoshi S, Wanibuchi M, Mikuni N, Uemura S, Tanno K, Narimatsu E, Asai Y.

J Neurosurg. 2016 Feb;124(2):527-37. doi: 10.3171/2015.3.JNS141895. Epub 2015 Sep 18.

PMID: 26381247

3 8 . Virological and cytological clearance in laser vaporization and conization for cervical intra-epithelial neoplasia grade 3.

Mariya T, Nishikawa A, Sogawa K, Suzuki R, Saito M, Kawamata A, Shimizu A, Nihei T, Sonoda T, Saito T.

J Obstet Gynaecol Res. 2016 Aug 16. doi: 10.1111/jog.13113. [Epub ahead of print]

PMID: 27526956

3 9 . No Benefit of Oral Diclofenac on Post-Endoscopic Retrograde Cholangiopancreatography Pancreatitis.

Ishiwatari H, Urata T, Yasuda I, Matsusaki S, Hisai H, Kawakami H, Ono M, Iwashita T, Doi S, Kawakubo K, Hayashi T, Sonoda T, Sakamoto N, Kato J.

Dig Dis Sci. 2016 Jul 22. [Epub ahead of print]

PMID: 27447477

4 0 . Randomized trial comparing a side-port needle and standard needle for EUS-guided histology of pancreatic lesions.

Ishiwatari H, Hayashi T, Kawakami H, Isayama H, Hisai H, Itoi T, Ono M, Kawakubo K, Yamamoto N, Tanaka M, Itokawa F, Oshiro H, Sonoda T, Hasegawa T; Japan EZ Port Study Group.

Gastrointest Endosc. 2016 Oct;84(4):670-8. doi: 10.1016/j.gie.2016.03.1329. Epub 2016 Mar 16.

PMID: 26995688

4 1 . Further significant effects of eldecalcitol on bone resorption markers and bone mineral density in postmenopausal osteoporosis patients having undergone long-term bisphosphonate treatment.

Iba K, Sonoda T, Takada J, Dohke T, Yamashita T.
J Bone Miner Metab. 2016 Jan 30. [Epub ahead of print]
PMID: 26832388

4 2 . Balloon catheter versus basket catheter for endoscopic bile duct stone extraction: a multicenter randomized trial.

Ishiwatari H, Kawakami H, Hisai H, Yane K, Onodera M, Eto K, Haba S, Okuda T, Ihara H, Kukitsu T, Matsumoto R, Kitaoka K, Sonoda T, Hayashi T; Hokkaido Interventional EUS/ERCP Study (HONEST) Group.

Endoscopy. 2016 Apr;48(4):350-7. doi: 10.1055/s-0035-1569573. Epub 2016 Jan 13.
PMID: 26760604

4 3 . Relationship Between Mandibular Ramus Height and Masticatory Muscle Function in Patients With Unilateral Hemifacial Microsomia.

Suzuki N, Miyazaki A, Igarashi T, Dehari H, Kobayashi JI, Miki Y, Ogi K, Nagai I, Sonoda T, Yotsuyanagi T, Hiratsuka H. Cleft Palate Craniofac J. 2016 Jan 11. [Epub ahead of print]

PMID: 26752018

4 4 . Easy-to-use clinical measures of walking ability in children and adolescents with cerebral palsy: a systematic review.

Himuro N, Abe H, Nishibu H, Seino T, Mori M.

Disabil Rehabil. 2016 May 23:1-12. [Epub ahead of print]

PMID: 27216081

4 5 . BAK is a predictive and prognostic biomarker for the therapeutic effect of docetaxel treatment in patients with advanced gastric cancer.

Kubo T, Kawano Y, Himuro N, Sugita S, Sato Y, Ishikawa K, Takada K, Murase K, Miyanishi K, Sato T, Takimoto R, Kobune M, Nobuoka T, Hirata K, Takayama T, Mori M, Hasegawa T, Kato J.

Gastric Cancer. 2016 Jul;19(3):827-38. doi: 10.1007/s10120-015-0557-1. Epub 2015 Oct 20.

PMID: 26486506

4 6 . Changes of sexual function and perception in Japanese men: A 15-year cross-sectional community-based study.

Takayanagi A, Kobayashi K, Fukuta F, Matsuki M, Matsuda Y, Mori M, Masumori N.

Int J Urol. 2016 Nov;23(11):941-945. doi: 10.1111/iju.13184.

PMID: 27520708

公衆衛生学講座

○主な研究内容

- 1 地域社会におけるがん、循環器疾患、特定疾患などに関する疫学的研究
- 2 分子生物学的手法を取り入れた生活習慣病に関する予防医学的研究
- 3 高齢者に対する医療、保健、福祉の統合的推進に関する研究
- 4 ストレス関連疾患などの新しい職業性疾患に関する予防医学的研究
- 5 身体活動増加の介入による各種疾患の予防に関する研究
- 6 環境要因がエピジェネティクスに与える影響に関する研究

○Pub Med 掲載論文 (2015 年)

1. Otokozaawa S, Tanaka R, Akasaka H, Ito E, Asakura S, Ohnishi H, Saito S, Miura T, Saito T, Mori M.
Associations of Serum Isoflavone, Adiponectin and Insulin Levels with Risk for Epithelial Ovarian Cancer: Results of a Case-control Study.
Asian Pac J Cancer Prev. 2015;16(12):4987-91.
2. Sakushima K, Nishimoto N, Nojima M, Matsushima M, Yabe I, Sato N, Mori M, Sasaki H.
Epidemiology of Multiple System Atrophy in Hokkaido, the Northernmost Island of Japan.
Cerebellum. 2015 Apr 25. [Epub ahead of print]
3. Fujii M, Ohnishi H, Saitoh S, Akasaka H, Miura T, Mori M.
The combination of abdominal obesity and high-sensitivity C-reactive protein predicts new-onset hypertension in the general Japanese population: the Tanno-Sobetsu study.
Hypertens Res. 2015 Jun;38(6):426-32. doi: 10.1038/hr.2015.27. Epub 2015 Mar 19.
4. Nakayama Y, Mori M.
Association of environmental tobacco smoke and snacking habits with the risk of early childhood caries among 3-year-old Japanese children.
J Public Health Dent. 2015 Mar;75(2):157-62. doi: 10.1111/jphd.12085. Epub 2015 Feb 6.
5. Hasegawa J, Mori M, Showa S, Matsushima A, Ohnishi H, Tsugawa T, Yoto Y, Tsutsumi H.
Pneumococcal vaccination reduced the risk of acute otitis media: Cohort study.
Pediatr Int. 2015 Jan 23. doi: 10.1111/ped.12587. [Epub ahead of print]
6. Kitazawa K, Showa S, Hiraoka A, Fushiki Y, Sakauchi H, Mori M.
Effect of a Dual-Task Net-Step Exercise on Cognitive and Gait Function in Older Adults.
J Geriatr Phys Ther. 2015 Jul-Sep;38(3):133-40. doi: 10.1519/JPT.000000000000029.
7. Himuro N, Miyagishima S, Kozuka N, Tsutsumi H, Mori M.
Measurement of family-centered care in the neonatal intensive care unit and professional background.
J Perinatol. 2015 Apr;35(4):284-9. doi: 10.1038/jp.2014.204. Epub 2014 Nov 27.

8. Emori M, Tsukahara T, Murata K, Sugita S, Sonoda T, Kaya M, Soma T, Sasaki M, Nagoya S, Hasegawa T, Wada T, Sato N, Yamashita T.
Prognostic impact of CD109 expression in myxofibrosarcoma.
J Surg Oncol. 2015 Jun;111(8):975-9. doi: 10.1002/jso.23934. Epub 2015 May 28.
9. Hayashi T, Kawakami H, Osanai M, Ishiwatari H, Naruse H, Hisai H, Yanagawa N, Kaneto H, Koizumi K, Sakurai T, Sonoda T.
No benefit of endoscopic sphincterotomy before biliary placement of self-expandable metal stents for unresectable pancreatic cancer.
Clin Gastroenterol Hepatol. 2015 Jun;13(6):1151-8.e2. doi: 10.1016/j.cgh.2015.01.008. Epub 2015 Jan 26.
10. Ishiwatari H, Hayashi T, Yoshida M, Ono M, Sato T, Miyanishi K, Sato Y, Takimoto R, Kobune M, Masuko H, Miyamoto A, Sonoda T, Kato J.
EUS-guided celiac plexus neurolysis by using highly viscous phenol-glycerol as a neurolytic agent (with video).
Gastrointest Endosc. 2015 Feb;81(2):479-83.doi:10.1016/j.gie.2014.10.031.No abstract available.
11. Mizumoto A, Ihira H, Makino K, Saitoh S, Ohnishi H, Furuna T.
Physical Activity during Winter in Old-Old Women Associated with Physical Performance after One Year: A Prospective Study.
Curr Gerontol Geriatr Res. 2015;2015:253451. doi: 10.1155/2015/253451. Epub 2015 Jun 22.
12. Mizumoto A, Ihira H, Makino K, Saitoh S, Ohnishi H, Furuna T.
Physical activity changes in the winter in older persons living in northern Japan: a prospective study.
BMC Geriatr. 2015 Apr 10;15:43. doi: 10.1186/s12877-015-0034-z.
13. Nishimuro H, Ohnishi H, Sato M, Ohnishi-Kameyama M, Matsunaga I, Naito S, Ippoushi K, Oike H, Nagata T, Akasaka H, Saitoh S, Shimamoto K, Kobori M.
Estimated daily intake and seasonal food sources of quercetin in Japan.
Nutrients. 2015 Apr 2;7(4):2345-58. doi: 10.3390/nu7042345.
14. Furuhashi T, Okita K, Nishidate T, Hirata K, Ohnishi H, Kobayashi H, Kotake K, Sugihara K; Study Group for Peritoneal Metastasis from Colorectal Cancer by the Japanese Society for Cancer of the Colon and Rectum.
Oncological benefit of primary tumor resection with high tie lymph node dissection in unresectable colorectal cancer with synchronous peritoneal metastasis: a propensity score analysis of data from a multi-institute database.
Int J Clin Oncol. 2015 Mar 12. [Epub ahead of print]
15. Mita T, Furuhashi M, Hiramitsu S, Ishii J, Hoshina K, Ishimura S, Fuseya T, Watanabe Y, Tanaka M, Ohno K, Akasaka H, Ohnishi H, Yoshida H, Saitoh S, Shimamoto K, Miura T.
FABP4 is secreted from adipocytes by adenylyl cyclase-PKA- and guanylyl cyclase-PKG-dependent lipolytic mechanisms.
Obesity (Silver Spring). 2015 Feb;23(2):359-67. doi: 10.1002/oby.20954. Epub 2014 Dec 17.

16. Ihira H, Furuna T, Mizumoto A, Makino K, Saitoh S, Ohnishi H, Shimada H, Makizako H.
Subjective physical and cognitive age among community-dwelling older people aged 75 years and older: differences with chronological age and its associated factors.
Aging Ment Health. 2015;19(8):756-61. doi: 10.1080/13607863.2014.967169. Epub 2014 Oct 13.
17. Yano T, Miki T, Itoh T, Ohnishi H, Asari M, Chihiro S, Yamamoto A, Aotsuka K, Kawakami N, Ichikawa J, Hirota Y, Miura T.
IQ is an independent predictor of glycated haemoglobin level in young and middle-aged adults with intellectual disability.
Diabet Med. 2015 Jan;32(1):129-32. doi: 10.1111/dme.12547. Epub 2014 Aug 2.
18. Furuhashi M, Moniwa N, Mita T, Fuseya T, Ishimura S, Ohno K, Shibata S, Tanaka M, Watanabe Y, Akasaka H, Ohnishi H, Yoshida H, Takizawa H, Saitoh S, Ura N, Shimamoto K, Miura T.
Urinary angiotensin-converting enzyme 2 in hypertensive patients may be increased by olmesartan, an angiotensin II receptor blocker.
Am J Hypertens. 2015 Jan;28(1):15-21. doi: 10.1093/ajh/hpu086. Epub 2014 May 18.

公衆衛生学講座

○主な研究内容

- 1 地域社会におけるがん、循環器疾患、特定疾患などに関する疫学的研究
- 2 分子生物学的手法を取り入れた生活習慣病に関する予防医学的研究
- 3 高齢者に対する医療、保健、福祉の統合的推進に関する研究
- 4 ストレス関連疾患などの新しい職業性疾患に関する予防医学的研究
- 5 身体活動増加の介入による各種疾患の予防に関する研究
- 6 環境要因がエピジェネティクスに与える影響に関する研究

○Pub Med 掲載論文 (2014 年)

1. [Himuro N¹](#), [Miyagishima S²](#), [Kozuka N³](#), [Tsutsumi H⁴](#), [Mori M¹](#).
Measurement of family-centered care in the neonatal intensive care unit and professional background.
[J Perinatol](#). 2014 Nov 27. doi: 10.1038/jp.2014.204. [Epub ahead of print]
2. [Washio M¹](#), [Mori M](#), [Mikami K](#), [Miki T](#), [Watanabe Y](#), [Nakao M](#), [Kubo T](#), [Suzuki K](#), [Ozasa K](#), [Wakai K](#), [Tamakoshi A](#).
Risk factors for renal cell carcinoma in a Japanese population.
[Asian Pac J Cancer Prev](#). 2014;15(21):9065-70.
3. [Minatoya M¹](#), [Kutomi G](#), [Shima H](#), [Asakura S](#), [Otokozawa S](#), [Ohnishi H](#), [Akasaka H](#), [Miura T](#), [Mori M](#), [Hirata K](#).
Relation of serum adiponectin levels and obesity with breast cancer: a Japanese case-control study.
[Asian Pac J Cancer Prev](#). 2014;15(19):8325-30.
4. [Okazaki Y¹](#), [Furuhashi M¹](#), [Tanaka M¹](#), [Mita T¹](#), [Fuseya T¹](#), [Ishimura S¹](#), [Watanabe Y¹](#), [Hoshina K¹](#), [Akasaka H¹](#), [Ohnishi H²](#), [Yoshida H¹](#), [Saitoh S³](#), [Shimamoto K⁴](#), [Miura T¹](#).
Urinary Excretion of Fatty Acid-Binding Protein 4 is Associated with Albuminuria and Renal Dysfunction.
[PLoS One](#). 2014 Dec 15;9(12):e115429. doi: 10.1371/journal.pone.0115429. eCollection 2014.
5. [Mariya T¹](#), [Hirohashi Y²](#), [Torigoe T²](#), [Asano T³](#), [Kuroda T³](#), [Yasuda K⁴](#), [Mizuuchi M³](#), [Sonoda T⁵](#), [Saito T⁶](#), [Sato N⁴](#).
Prognostic impact of human leukocyte antigen class I expression and association of platinum resistance with immunologic profiles in epithelial ovarian cancer.
[Cancer Immunol Res](#). 2014 Dec;2(12):1220-9. doi: 10.1158/2326-6066.CIR-14-0101. Epub 2014 Oct 16.
6. [Himuro N¹](#), [Miyagishima S²](#), [Kozuka N³](#), [Tsutsumi H⁴](#), [Mori M¹](#).
Measurement of family-centered care in the neonatal intensive care unit and professional background.
[J Perinatol](#). 2014 Nov 27. doi: 10.1038/jp.2014.204. [Epub ahead of print]
7. [Shima H¹](#), [Kutomi G¹](#), [Satomi F¹](#), [Maeda H¹](#), [Takamaru T²](#), [Kameshima H³](#), [Omura T³](#), [Mori](#)

[M⁴](#), [Hatakenaka M⁵](#), [Hasegawa T⁶](#), [Hirata K¹](#).

Risk of node metastasis of sentinel lymph nodes detected in level II/III of the axilla by single-photon emission computed tomography/computed tomography.

[Exp Ther Med](#). 2014 Nov;8(5):1447-1452. Epub 2014 Sep 15.

8. [Kutomi G¹](#), [Ohmura T¹](#), [Satomi F¹](#), [Takamaru T¹](#), [Shima H¹](#), [Suzuki Y¹](#), [Otokozawa S²](#), [Zembutsu H¹](#), [Mori M²](#), [Hirata K¹](#).

Lymph node shape in computed tomography imaging as a predictor for axillary lymph node metastasis in patients with breast cancer.

[Exp Ther Med](#). 2014 Aug;8(2):681-685. Epub 2014 Jun 16.

9. [Furuhashi M¹](#), [Moriwa N²](#), [Mita T³](#), [Fuseya T³](#), [Ishimura S³](#), [Ohno K³](#), [Shibata S³](#), [Tanaka M³](#), [Watanabe Y³](#), [Akasaka H⁴](#), [Ohnishi H⁵](#), [Yoshida H³](#), [Takizawa H²](#), [Saitoh S⁶](#), [Ura N⁷](#), [Shimamoto K⁸](#), [Miura T³](#).

Urinary Angiotensin-Converting Enzyme 2 in Hypertensive Patients May Be Increased by Olmesartan, an Angiotensin II Receptor Blocker.

[Am J Hypertens](#). 2014 May 18. pii: hpu086. [Epub ahead of print]

10. [Sugiyama Y¹](#), [Nagata Y](#), [Fukuta F](#), [Takayanagi A](#), [Masumori N](#), [Tsukamoto T](#), [Akasaka H](#), [Ohnishi H](#), [Saito S](#), [Miura T](#), [Moriyama K](#), [Tsuji H](#), [Akaza H](#), [Mori M](#).

Counts of *Slackia* sp. strain NATTS in intestinal flora are correlated to serum concentrations of equol both in prostate cancer cases and controls in Japanese men.

[Asian Pac J Cancer Prev](#). 2014;15(6):2693-7.

11. [Hatakenaka M¹](#), [Nakamura K](#), [Yabuuchi H](#), [Shioyama Y](#), [Matsuo Y](#), [Kamitani T](#), [Yonezawa M](#), [Yoshiura T](#), [Nakashima T](#), [Mori M](#), [Honda H](#).

Apparent diffusion coefficient is a prognostic factor of head and neck squamous cell carcinoma treated with radiotherapy.

[Jpn J Radiol](#). 2014 Feb;32(2):80-9. doi: 10.1007/s11604-013-0272-y. Epub 2014 Jan 10.

12. [Takamaru T¹](#), [Kutomi G¹](#), [Satomi F¹](#), [Shima H¹](#), [Ohno K¹](#), [Kameshima H¹](#), [Suzuki Y¹](#), [Ohmura T¹](#), [Takamaru H²](#), [Nojima M³](#), [Mori M³](#), [Hirata K¹](#)

Use of the dye-guided sentinel lymph node biopsy method alone for breast cancer metastasis to avoid unnecessary axillary lymph node dissection.

[Exp Ther Med](#). 2014 Feb;7(2):456-460. Epub 2013 Dec 11.

13. [Takahashi H¹](#), [Washio M](#), [Kiyohara C](#), [Tada Y](#), [Asami T](#), [Ide S](#), [Atsumi T](#), [Kobashi G](#), [Yamamoto M](#), [Horiuchi T](#); [Kyushu Sapporo Sle \(Kyss\) Study Group](#).

Psychological stress in a Japanese population with systemic lupus erythematosus: finding from KYSS study.

[Mod Rheumatol](#). 2014 May;24(3):448-52. doi: 10.3109/14397595.2013.843745. Epub 2013 Nov5.

14. [Mori M¹](#), [Hasegawa J](#), [Showa S](#), [Matsushima A](#), [Ohnishi H](#), [Yoto Y](#), [Tsutsumi H](#).

Effectiveness of influenza vaccine in children in day-care centers of Sapporo.

[Pediatr Int](#). 2014 Feb;56(1):53-6. doi: 10.1111/ped.12221.

15. [Washio M¹](#), [Kiyohara C](#), [Morioka S](#), [Mori M](#).

The experiences of smoking in school children up to and including high school ages and the current status of smoking habits; a survey of male high school students in Japan.

[Asian Pac J Cancer Prev](#). 2003 Aug-Dec;4(4):344-51.

16. [Wada T](#)¹, [Yamauchi M](#)², [Oki G](#)³, [Sonoda T](#)⁴, [Yamakage M](#)⁵, [Yamashita T](#)³.
Efficacy of axillary nerve block in elbow arthroscopic surgery: a randomized trial.
[J Shoulder Elbow Surg](#). 2014 Mar;23(3):291-6. doi: 10.1016/j.jse.2013.11.022. Epub 2014 Jan 15.

公衆衛生学講座

○主な研究内容

- 1 地域社会におけるがん、循環器疾患、特定疾患などに関する疫学的研究
- 2 分子生物学的手法を取り入れた生活習慣病に関する予防医学的研究
- 3 高齢者に対する医療、保健、福祉の統合的推進に関する研究
- 4 ストレス関連疾患などの新しい職業性疾患に関する予防医学的研究
- 5 身体活動増加の介入による各種疾患の予防に関する研究
- 6 環境要因がエピジェネティクスに与える影響に関する研究

○Pub Med 掲載論文 (2013 年)

1. [Aoki Y](#), [Nojima M](#), [Suzuki H](#), [Yasui H](#), [Maruyama R](#), [Yamamoto E](#), [Ashida M](#), [Itagaki M](#), [Asaoku H](#), [Ikeda H](#), [Hayashi T](#), [Imai K](#), [Mori M](#), [Tokino T](#), [Ishida T](#), [Toyota M](#), [Shinomura Y](#).
Correction: Genomic vulnerability to LINE-1 hypomethylation is a potential determinant of the clinicogenetic features of multiple myeloma. ([Genome Med.](#) 2013 Oct 11;5(10):88. [Epub ahead of print])
2. [Mori M](#), [Hasegawa J](#), [Showa S](#), [Matsushima A](#), [Ohnishi H](#), [Yoto Y](#), [Tsutsumi H](#).
Effectiveness of influenza vaccine in children in day-care centers of Sapporo. ([Pediatr Int.](#) 2013 Sep 11. doi: 10.1111/ped.12221. [Epub ahead of print])
3. [Minatoya M](#), [Kutomi G](#), [Asakura S](#), [Otokozawa S](#), [Sugiyama Y](#), [Nagata Y](#), [Mori M](#), [Hirata K](#).
Equol, adiponectin, insulin levels and risk of breast cancer. ([Asian Pac J Cancer Prev.](#) 2013;14(4):2191-9.)
4. [Suzumura M](#), [Fushiki Y](#), [Kobayashi K](#), [Oura A](#), [Suzumura S](#), [Yamashita M](#), [Mori M](#).
A cross-sectional study on association of work environment, coping style, and other risk factors with depression among caregivers in group homes in Japan. ([Ind Health.](#) 2013;51(4):417-23. Epub 2013 May 2.)
5. [Sugiyama Y](#), [Masumori N](#), [Fukuta F](#), [Yoneta A](#), [Hida T](#), [Yamashita T](#), [Minatoya M](#), [Nagata Y](#), [Mori M](#), [Tsuji H](#), [Akaza H](#), [Tsukamoto T](#).
Influence of isoflavone intake and equol-producing intestinal flora on prostate cancer risk. ([Asian Pac J Cancer Prev.](#) 2013;14(1):1-4.)
6. [Fukuta F](#), [Masumori N](#), [Mori M](#), [Tsukamoto T](#).
Incidence and risk of treatment for benign prostatic hyperplasia in Japanese men: a 15-year longitudinal community-based study. ([Int J Urol.](#) 2013 Jan;20(1):100-6. doi: 10.1111/j.1442-2042.2012.03215.x. Epub 2012 Oct 29.)
7. [Himuro N](#), [Kozuka N](#), [Mori M](#).
Measurement of family-centred care: translation, adaptation and validation of the Measure of Processes of Care (MPOC-56 and -20) for use in Japan. ([Child Care Health Dev.](#) 2013 May;39(3):358-65. doi: 10.1111/j.1365-2214.2012.01371.x. Epub 2012 Feb 28.)
8. [Yoshihara M](#), [Akasaka H](#), [Ohnishi H](#), [Miki T](#), [Furukawa T](#), [Yuda S](#), [Saitoh S](#), [Miura T](#).

Glucagon-like peptide-1 secretory function as an independent determinant of blood pressure: analysis in the Tanno-Sobetsu study. ([PLoS One](#). 2013 Jul 2;8(7):e67578. doi: 10.1371/journal.pone.0067578. Print 2013.)

9. [Shiratori K](#), [Nakamori K](#), [Ueda M](#), [Sonoda T](#), [Dehari H](#).

Assessment of the Shape of the Inferior Alveolar Canal as a Marker for Increased Risk of Injury to the Inferior Alveolar Nerve at Third Molar Surgery: A Prospective Study. ([J Oral Maxillofac Surg](#). 2013 Sep 14. pii: S0278-2391(13)00941-5. doi: 10.1016/j.joms.2013.07.030. [Epub ahead of print])

10. [Minatoya M](#), [Kutomi G](#), [Asakura S](#), [Otokozawa S](#), [Sugiyama Y](#), [Ohnishi H](#), [Akasaka H](#), [Miura T](#), [Mori M](#), [Hirata K](#).

Relationship of serum isoflavone, insulin and adiponectin levels with breast cancer risk. ([Breast Cancer](#). 2013 Oct 29. [Epub ahead of print])